



Vitamin A and Bone Health

**National Institutes of Health
Osteoporosis and Related
Bone Diseases
National Resource Center**

2 AMS Circle
Bethesda, MD 20892-3676

Phone: 202-223-0344
Toll free: 800-624-BONE
TTY: 202-466-4315
Fax: 202-293-2356

Website: www.bones.nih.gov
Email: NIHBoneInfo@mail.nih.gov

The NIH Osteoporosis and Related Bone Diseases National Resource Center is supported by the National Institute of Arthritis and Musculoskeletal and Skin Diseases with contributions from the National Institute on Aging, the *Eunice Kennedy Shriver* National Institute of Child Health and Human Development, the National Institute of Dental and Craniofacial Research, the National Institute of Diabetes and Digestive and Kidney Diseases, the NIH Office of Research on Women's Health, and the HHS Office on Women's Health.

The National Institutes of Health (NIH) is a component of the U.S. Department of Health and Human Services (HHS).

May 2015

Vitamin A is essential for good health. It promotes growth, the immune system, reproduction, and vision. However, recent research suggests that too much vitamin A, particularly in the form of retinol, may be bad for your bones. This fact sheet explains where we get vitamin A, how much of this important vitamin we need, how it can build up in the body to excessive levels, and how you can assess your own vitamin A intake.

What Is Vitamin A?

Vitamin A is a family of compounds that play an important role in vision, bone growth, reproduction, cell division, and cell differentiation. We get vitamin A from a variety of sources. Two of the most common sources are retinol and beta-carotene.

Retinol is sometimes called "true" vitamin A because it is nearly ready for the body to use. Retinol is found in such animal foods as liver, eggs, and fatty fish. It also can be found in many fortified foods, such as breakfast cereals, and in dietary supplements.

Beta-carotene is a precursor for vitamin A. The body needs to convert it to retinol or vitamin A for use. Beta-carotene is found naturally in mostly orange and dark green plant foods, such as carrots, sweet potatoes, mangos, and kale.

The body stores both retinol and beta-carotene in the liver, drawing on this store whenever more vitamin A is needed.

How Much Vitamin A Do I Need?

**Recommended Dietary Allowance (RDA) for
Vitamin A in International Unites (IU)**

Age (yrs)	Children	Men	Women	Pregnant	Lactation
1 to 3	1,000				
4 to 8	1,320				
9 to 13	2,000				
14 to 18		3,000	2,310	2,500	4,000
19 +		3,000	2,310	2,565	4,300

Source: *Institute of Medicine, 2001.*

The Institute of Medicine developed the Recommended Dietary Allowance (RDA) for vitamin A (retinol). The recommended intakes are listed in International Units (IU) in the table above.

The body can convert beta-carotene into vitamin A to help meet these requirements. Although there is no RDA for beta-carotene, the National Institutes of Health (NIH) Office of Dietary Supplements recommends eating five or more servings of fruits and vegetables per day, including dark green and leafy vegetables and deep yellow or orange fruits to get appropriate amounts of beta-carotene.

How Does Vitamin A Affect my Bones?

Vitamin A is a family of fat-soluble compounds that play an important role in vision, bone growth, reproduction, cell division, and cell differentiation. Vitamin A is important for healthy bones. However, *too much* vitamin A has been linked to bone loss and an increase in the risk of hip fracture. Scientists believe that excessive amounts of vitamin A trigger an increase in osteoclasts, the cells that break down bone. They also believe that too much vitamin A may interfere with vitamin D, which plays an important role in preserving bone.

Retinol is the form of vitamin A that causes concern. In addition to getting retinol from their diets, some people may be using synthetic retinoid preparations that are chemically similar to vitamin A to treat acne, psoriasis, and other skin conditions. These preparations have been shown to have the same negative impact on bone health as dietary retinol. Use of these medications in children and teens also has been linked to delays in growth.

Beta-carotene, on the other hand, is largely considered to be safe and has not been linked to adverse effects in bone or elsewhere in the body.

How Can I Make Sure I Get the Right Amount of Vitamin A?

Surveys suggest that most Americans are getting adequate amounts of vitamin A. The Institute of Medicine cautions against daily intakes of retinol above 10,000 IU.

The chart below identifies some common food sources of retinol. Most of the reported cases of vitamin A toxicity have been blamed on the use of supplements. Healthy individuals who eat a balanced diet generally do not need a vitamin A supplement.

Plant sources of beta-carotene are not as well absorbed as the animal sources of vitamin A listed in the chart, but they are still an important source of this vitamin. Dark orange and green vegetables and fruit, including carrots, sweet potatoes, spinach, cantaloupe, and kale are excellent sources of beta-carotene. Because of concerns about the negative effects of too much retinol, some people prefer to eat more foods rich in beta-carotene to satisfy their need for vitamin A.

Food Sources of Retinol

Food	Vitamin A (IU)
Liver, beef, cooked 3 oz.	30,325
Liver, chicken, cooked, 3 oz.	13,920
Egg substitute, fortified, ¼ cup	1,355
Fat-free milk, fortified with vitamin A, 1 cup	500
Cheese pizza, ⅙ of a 12-inch pie	380
Milk, whole, 3.25% fat, 1 cup	305
Cheddar cheese, 1 oz	300
Whole egg, 1 medium	280

Source: NIH Office of Dietary Supplements.

Are Some People at Special Risk of Getting Too Much Vitamin A?

The 1988–94 National Health and Nutrition Examination Survey (NHANES III) found high levels of retinol in 5 to 10 percent of the survey participants. Increased levels were more common in men age 30 and older and in women age 50 and older.

Older people who regularly take dietary supplements containing vitamin A may be at higher risk of getting too much vitamin A.

Studies suggest that taking dietary supplements is a common practice among many older adults.

However, the routine use of vitamin A supplements, as well as fortified foods, in older men and women is increasingly being questioned. Older adults are at significant risk for osteoporosis and related fractures, and their serum (blood) levels of retinol increase with age. As a result, fortified foods and supplements containing vitamin A in the form of beta-carotene may be a better choice for bone health in this population.

The supplement label provides information about how much vitamin A is provided, in both International Units and as a percentage of the RDA. The list of ingredients will contain information about which forms of vitamin A are included. Other names for retinol include retinyl, palmitate, and retinyl acetate.

Where Can I Find More Information?

For more information on bone health, contact the:
NIH Osteoporosis and Related Bone Diseases National Resource Center
Website: www.bones.nih.gov

For more information on vitamin A, contact the:
NIH Office of Dietary Supplements
Website: www.dietary-supplements.info.nih.gov

For Your Information

This publication contains information about medications used to treat the health condition discussed here. When this publication sheet was developed, we included the most up-to-date (accurate) information available. Occasionally, new information on medication is released.

For updates and for any questions about any medications you are taking, please contact the Food and Drug Administration toll free at 888-INFO-FDA (463-6332) or visit its website at www.fda.gov. For additional information on specific medications, visit Drugs@FDA at www.accessdata.fda.gov/scripts/cder/drugsatfda. Drugs@FDA is a searchable catalog of FDA-approved drug products.

NIH Publication No. 15-7880